



QUICK CATALOG




OPEN CABLING



LAN (UTP) CABLING




CAT 5E (350 MHz) U/UTP Cables




P/N : US-9015
CAT 5E U/UTP Enhanced CABLE
(350 MHz), CMR 305 M./Box

CAT 5E (350 MHz) F/UTP Cables



P/N : US-9035
CAT 5E F/UTP Enhanced CABLE
(350 MHz), CMR 305 M./Box

CAT 5E (350 MHz) U/UTP Outdoor Double Jacket



P/N : US-9045
CAT 5E U/UTP, PE OUTDOOR
(Double Jacket), 305 M./Box

CAT 5E (350 MHz) U/UTP Outdoor Drop Wire



P/N : US-9015M
CAT 5E U/UTP, PE OUTDOOR
w/Drop Wire (Single Jacket)
305 M./Reel

CAT 5E RJ45 Modular Plugs



X Color = 2 (Red), 3 (Green), 4 (Blue), 5 (Yellow), 6 (Black)

- (A) **P/N : US-1001**
CAT 5E RJ45 Modular Plug, HP
- (B) **P/N : US-1003**
CAT 5E RJ45 Modular Plug, SHIELD
- (C) **P/N : US-1051X**
CAT 5E RJ45 Modular Plug, HP, Crystal


CAT 5E RJ45 Modular Jacks



X Color = 1 (White), 2 (Red), 3 (Green), 4 (Blue), 5 (Yellow)

- (A) **P/N : US-1005**
CAT 5E RJ45 MODULAR JACK, ORIGINAL
- (B) **P/N : US-1005SCX**
CAT 5E RJ45 COLOR FULL JACK, SLIM TYPE
- (C) **P/N : US-1005STF**
CAT 5E RJ45 BLUE JACK, SLIM TOOL FREE
- (D) **P/N : US-1013**
CAT 5E RJ45 MODULAR JACK, SHIELD

CAT 5E Patch Panels



P/N : US-3024, US-3048
CAT 5E PATCH PANEL 24, 48 Port
w/Support


CAT 5E Patch Cords



X Color = 1 (White), 2 (Red), 3 (Green), 4 (Blue), 5 (Yellow)


P/N : US-5003-X / US-5006-X
US-5010-X / US-5015-X / US-5020-X
CAT 5E RJ45 - RJ45 PATCH CORD
1, 2, 3, 5, 10 M.

CAT 6 Ultra (600MHz) U/UTP Cables




P/N : US-9116
CAT 6 U/UTP ULTRA (600 MHz)
w/Cross Filler, 23 AWG, CMR
305 M./Box

CAT 6 Ultra (600MHz) F/UTP Cables




P/N : US-9136
CAT 6 F/UTP ULTRA (600 MHz)
Screen Twisted Pair, w/Cross Filler,
23 AWG, CMR 305 M./Roll

CAT 6 Ultra (600MHz) U/UTP Outdoor Double Jacket



P/N : US-9106OUT
CAT 6 U/UTP, PE OUTDOOR
w/Cross Filler, 23 AWG
(Double Jacket) 305 M./Box

CAT 6 Ultra (600MHz) U/UTP Outdoor Drop Wire



P/N : US-9106M
CAT 6 U/UTP, PE OUTDOOR
w/Cross Filler, 23 AWG w/Drop Wire
(Single Jacket) 305 M./Reel

CAT 6 RJ45 Modular Plugs



- (A) **P/N : US-1002**
CAT 6 RJ45 MODULAR PLUG
2 Layer with Pre-Insert Bar
- (B) **P/N : US-1004**
SHIELD CAT 6 RJ45 PLUG 2 LAYER
with pre-insert bar

CAT 6 RJ45 Modular Jacks



- (A) **P/N : US-1006SL**
CAT 6 RJ45 MODULAR JACK, Slim,
- (B) **P/N : US-1006STF**
CAT 6 RJ45 MODULAR JACK, Slim, Tool Free
- (C) **P/N : US-1014**
CAT 6 RJ45 MODULAR JACK, SHIELD

CAT 6 Patch Panels



P/N : US-3124+, US-3148+
CAT 6 PATCH PANEL 24, 48 Port
w/Management

CAT 6 Patch Cords



X Color = 1 (White), 2 (Red), 3 (Green), 4 (Blue), 5 (Yellow)


P/N : US-5101-X / US-5102-X
US-5103-X / US-5105-X / US-5110-X
CAT6 RJ45 - RJ45 PATCH CORD
1, 2, 3, 5, 10 M.



LAN (UTP) CABLING




CAT 6A (500MHz) U/UTP Cables



P/N : US-9146ALSZH
CAT 6A U/UTP XG (500 MHz) CABLE,
LSZH 305 M./Box

CAT 6A (500MHz) U/FTP Cables




P/N : US-9256LSZH
CAT 6A U/FTP XG (500 MHz) CABLE,
LSZH 305 M./Box

CAT 6A RJ45 Modular Jacks



(A) P/N : US-1022TFAS
CAT 6A RJ45 MODULAR JACK,
SUPER SLIM TOOL FREE, AUTO SHUTTER
(B) P/N : US-1034TFAS
Shield CAT6A RJ45 Modular JACK,
Tool Free with Auto Shutter
(C) P/N : US-5201S / 2S / 3S / 5S / 10S
Shield CAT 6A RJ45 - RJ45
PATCH CORD 1, 2, 3, 5, 10 M.

CAT 6A Patch Panels



(A) P/N : US-3224TFAS
CAT 6A ANGLE PATCH PANEL
24 PORT, AUTO SHUTTER
(B) P/N : US-3324TFAS
SHIELD CAT 6A ANGLE PATCH PANEL
24 PORT, AUTO SHUTTER

Face Plates with Icon & ID Label



P/N : US-2001, US-2002
FACE PLATE 1, 2 PORT with ICON
& LABEL ID, Ivory Color

Face Plates with Shutter, Icon & ID Label



P/N : US-2121, US-2122
FACE PLATE 1, 2 PORT with
SHUTTER, ICON & ID LABEL

Shiny White Face Plate



P/N : US-2311/12/13/14/16
SHINY FACE PLATE, 1, 2, 3, 4, 6
Ports, White

Shiny Exclusive Face Plate



P/N : US-2331/32/33/34
SHINY EXCLUSIVE FACE PLATE
1, 2, 3, 4 PORT w/Shutter

Wall Boxes



(A) P/N : US-2015
WALL BOX 2" x 4", Original (38 mm.)
(B) P/N : US-2015WH
WALL BOX 2" x 4", White (38 mm.)
(C) P/N : US-2016
WALL BOX 2" x 4", Deep (47 mm.)

Surface Mounted Boxes



P/N : US-2118, US-2119
SURFACE MOUNT BOXE 1, 2 PORT,
With SHUTTER

POP UP with RJ45 Modular Jacks



P/N : US-2021, US-2022, US-2023
1, 2, 3 PORT POP UP with CAT 5E
RJ45 Jack
P/N : US-2031, US-2032, US-2033
1, 2, 3 PORT POP UP with CAT 6
RJ45 Jack

Face Plate Changers



(A) P/N : US-2005
CHANGER For Full Colour Panasonic Face Plate
(B) P/N : US-2006
CHANGER For Wide Series Panasonic Face Plate
(C) P/N : US-2107
CHANGER For Magic Bticino Face Plate
(D) P/N : US-2108
CHANGER For Matix Bticino Face Plate
(E) P/N : US-2109
New Clipsal Face Plate

CRIMP TOOL



(A) P/N : TL-1101R
RJ45, RJ11 & 4 POS PROFESSIONAL CRIMP TOOL
(B) P/N : TL-1103R
RJ45, RJ11, 4 Pos Hand Set CRIMP TOOL

IMPACT TOOL



P/N : TL-3116
IMPACT TOOL with Blade

Fast Jack and Plug Tool



P/N : US-8061
Fast Jack and Plug Termination Tools

UTP CABLE TESTER



P/N : TX-1302
UTP Cable Tester




INDOOR DISTRIBUTION



P/N : UFC92XXLSZH (9/125 μm), OS2
 P/N : UFC52XXLSZH (50/125 μm), OM2
 P/N : UFC52XXG (50/125 μm), OM3
 Fiber Optic Distribution 4, 6, 12 Core

OUTDOOR/INDOOR, ALL-DIELECTRIC




P/N : UFC93XX (9/125 μm), OS2
 P/N : UFC53XX (50/125 μm), OM2
 P/N : UFC53XXG (50/125 μm), OM3
 Fiber Optic Outdoor / Indoor All - Dielectric
 4, 6, 12 Core

OUTDOOR/INDOOR, DROP WIRE




P/N : UFC95XXOI (9/125 μm), OS2
 P/N : UFC55XXOI (50/125 μm), OM2
 P/N : UFC55XXGOI (50/125 μm), OM3
 Fiber Optic Outdoor / Indoor Drop Wire
 4, 6, 12 Core

OUTDOOR, ARMORED



P/N : UFC96XX (9/125 μm), OS2
 P/N : UFC56XX (50/125 μm), OM2
 P/N : UFC56XXG (50/125 μm), OM3
 Fiber Optic Outdoor Armored 4, 6, 12, 24 Core

OUTDOOR, CTV STRANDED DROP WIRE, ARMORED




P/N : UFC95XXDSA (9/125 μm), OS2
 P/N : UFC55XXDSA (50/125 μm), OM2
 P/N : UFC55XXGDSA (50/125 μm), OM3
 Fiber Optic Outdoor CTV Stranded
 Drop Wire, Armored 4, 6, 12 Core

OUTDOOR, CTV FIG.8 / ARMORED




(A) P/N : UFC98XX (9/125 μm), OS2
 P/N : UFC58XX (50/125 μm), OM2
 Fiber Optic Outdoor CTV Fig.8 4, 6, 12 Core
 (B) P/N : UFC98XXA (9/125 μm), OS2
 P/N : UFC58XXA (50/125 μm), OM2
 Fiber Optic Outdoor CTV Fig.8 Armored
 4, 6, 12 Core

OUTDOOR ADSS, MULTI-TUBE



(A) P/N : UFC97XXM (9/125 μm), OS2
 P/N : UFC57XXM (50/125 μm), OM2
 Fiber Optic Outdoor ADSS, Multi - Tube
 24, 48, 60, 72 Core
 (B) P/N : UFC97XXMD (9/125 μm), OS2
 P/N : UFC57XXMD (50/125 μm), OM2
 Fiber Optic Outdoor ADSS, Multi - Tube
 Double Jacket 24, 48, 60, 72 Core

FTTH Stranded Drop Wire Round Cable



P/N : UFH9501R (9/125 μm), G.657A2
 P/N : UFH9502R (9/125 μm), G.657A2
 P/N : UFH9504R (9/125 μm), G.657A2
 FTTH Outdoor / Indoor Stranded Drop Wire
 Round cable 1, 2, 4 Core

ST CONNECTOR



P/N : UF-0004 (Black Boot)
 P/N : UF-0004SM (Yellow Boot)
 ST Multimode, Singlemode Zirconia
 Connector

SC DUPLEX CONNECTOR



P/N : UF-0006 (Black Boot)
 P/N : UF-0006SM (Blue Boot)
 SC Duplex Multimode, Singlemode
 Zirconia Connector

FC CONNECTOR



P/N : UF-0008 (Black Boot)
 P/N : UF-0008SM (Yellow Boot)
 FC Multimode, Singlemode Zirconia
 Connector

LC DUPLEX CONNECTOR



P/N : UF-0002D (Beige Boot)
 P/N : UF-0002DSM (Beige Boot)
 LC Duplex Multimode, Singlemode
 Zirconia Connector

PIGTAIL, Simplex 50/125 μm (Multimode)



(A) P/N : UF-5401B/J3
 (B) P/N : UF-5601B/J3
 (C) P/N : UF-5201B/J3
 ST, SC, LC Pigtail 50/125 MM,
 (900 μm Buffer) / (3.0 mm. Jacket)

PIGTAIL, Simplex 9/125 μm (Singlemode)



(A) P/N : UF-6401B/J3
 (B) P/N : UF-6501B/J3
 (C) P/N : UF-6801B/J3
 (D) P/N : UF-6201B/J3
 ST, SC, FC, LC/PC Pigtail 9/125 SM,
 (900 μm Buffer) / (3.0 mm. Jacket)

12 FIBER SPLICING TRAY / SLEEVE



(A) P/N : SV-2252
 Fusion Splice Protector Sleeve
 (B) P/N : SV-2256
 12 Fiber Splicing Tray

FO. PATCH CORD



(A) P/N : UF-5XX3
 Patch Cord Multimode (OM2)
 (B) P/N : UF-5XX3XG
 Patch Cord Multimode (OM3)
 (C) P/N : UF-6XX3
 Patch Cord Singlemode (OS2)

RACK MOUNT DRAWER TYPE



- (A) P/N : UF-2012A (Light Grey)
 - (B) P/N : UF-2013A (Black)
- 2, 3 SNAP- IN, F.O RACK MOUNT, DRAWER TYPE

RACK MOUNT FIXED TYPE



- (A) P/N : UF-2014A (Light Grey)
 - (B) P/N : UF-2016A (Light Grey)
- 4, 8 SNAP- IN, F.O RACK MOUNT, FIXED TYPE

FIBER OPTIC WALL MOUNT TYPE



- P/N : UF-2022A
 - P/N : UF-2024A
- 2, 4 SNAP- IN, F.O WALL MOUNT TYPE

CCTV OUTDOOR STEEL CABINET



- (A) P/N : UV-9010S
SINGLE DOOR CCTV OUTDOOR STEEL CABINET
- (B) P/N : UV-9012H
TWO LAYER DOOR CCTV OUTDOOR STEEL CABINET
- (C) P/N : CK-80104
1 X Ø4" HEAVY DUTY FAN

ST ADAPTER SNAP PLATE



- (A) P/N : UF-2144 (Metalic)
 - (B) P/N : UF-2144SM (Metalic)
 - (C) P/N : UF-2244 (Metalic)
 - (D) P/N : UF-2244SM (Metalic)
- 6, 12 ST Snap-In Adapter PLATE (MM.)
6, 12 ST Snap-In Adapter PLATE (SM. & MM.)

SC ADAPTER SNAP PLATE




- (A) P/N : UF-2166 (Ivory)
 - (B) P/N : UF-2166SM (Blue)
 - (C) P/N : UF-2266 (Ivory)
 - (D) P/N : UF-2266SM (Blue)
- 3, 6 SC Duplex Snap-In Adapter PLATE (MM.)
3, 6 SC DuplexSnap-In Adapter PLATE (SM. & MM.)

FC ADAPTER SNAP PLATE




- (A) P/N : UF-2188SM (Metalic)
 - (B) P/N : UF-2288SM (Metalic)
- 6 FC Snap-In Adapter PLATE (SM. & MM.)
12 FC Snap-In Adapter PLATE (SM. & MM.)

LC ADAPTER SNAP PLATE



- (A) P/N : UF-2122 (Ivory)
 - (B) P/N : UF-2122SM (Blue)
 - (C) P/N : UF-2222 (Ivory)
 - (D) P/N : UF-2222SM (Blue)
- 3, 6 LC Duplex Snap-In Adapter PLATE (MM.)
3, 6 LC DuplexSnap-In Adapter PLATE (SM. & MM.)

F.O. HORIZONTAL CLOSURE




- (A) P/N : UF-3041
12 CORES F.O. SPLICE CLOSURE, HORIZONTAL TYPE
- (B) P/N : UF-3042A / 44A / 47A / 49A
24, 48, 72, 96 CORES F.O. SPLICE CLOSURE, HORIZONTAL TYPE

F.O. DOME CLOSURE




- P/N : UF-3022A / 24A / 27A / 29A
24, 48, 72, 96 CORES F.O. SPLICE CLOSURE, DOME TYPE

SPLICE TRAY for CLOSURE



- (A) UF-3061A / 62A
SPLICE TRAY 12, 24 FIBER FOR DOME CLOSURE (SPARE)
- (B) UF-3063A / 64A
SPLICE TRAY 12, 24 FIBER FOR HORIZONTAL CLOSURE (SPARE)

FTTH TERMINATION BOX



- (A) P/N : UF-1014
4 PORT FIBER TERMINATION BOX w/o ADAPTER
- (B) P/N : UF-0055SM
SC SIMPLEX ADAPTER, SM

LASER PEN



- (A) P/N : UF-2881
OPTICAL FIBER LASER INSPECT PEN Ø 2.5 MM. for ST, SC, FC
- (B) P/N : UF-2882
OPTICAL FIBER LASER INSPECT PEN Ø 1.25 MM. for LC

POWER METER & LIGHT SOURCE



- P/N : UF-2890 / 92 / 93 / 94
- POWER METER with ST INTERFACE
- LED LIGHT SOURCE DUAL WAVELENGTH 850 & 1300 NM
- LASER LIGHT SOURCE SINGLE W WAVELENGTH 1500 NM
- LASER LIGHT SOURCE DUAL W WAVELENGTH 1310 & 1500 NM

OPTICAL FIBER SCOPE



- P/N : UF-2853
OPTICAL FIBER SCOPE (200X), UNIVERSAL ADAPTER (ST, SC, FC)

PROFESSIONAL TERMINATE SET



- P/N : UF-2840
Fiber Optic PROFESSIONAL TERMINATE SET (No Optical Scope)

CCTV (COAXIAL) CABLING



RG6 CABLE, INDOOR



- (A) P/N : CB-0109S+ / CB-0109S+1
RG 6/U CABLE BLACK, 96% SHIELD, STANDARD PLUS, INDOOR / 100 M./EASY BOX
- (B) P/N : CB-0109S+WH / CB-0109S+1WH
RG 6/U CABLE WHITE, 96% SHIELD, STANDARD PLUS, INDOOR / 100 M./EASY BOX
- (C) P/N : CB-0108
RG 6/U CABLE BLACK, 95% SHIELD, MILITARY GRADE, INDOOR

RG6 CABLE, OUTDOOR



- (A) P/N : CB-0109SP+
RG 6/U CABLE BLACK, 96% SHIELD, STANDARD PLUS, OUTDOOR
- (B) P/N : CB-0108P
RG 6/U CABLE BLACK, 95% SHIELD, MILITARY GRADE, OUTDOOR

RG6 CABLE, OUTDOOR w/MESSENGER



- (A) P/N : CB-0109SM+
RG 6/U CABLE BLACK, 96% SHIELD, STANDARD PLUS, OUTDOOR w/MESSENGER
- (B) P/N : CB-0108M
RG 6/U CABLE BLACK, 95% SHIELD, MILITARY GRADE, OUTDOOR w/MESSENGER

RG6 CABLE, w/POWER WIRE



- (A) P/N : CB-0109SW+
RG 6/U CABLE BLACK, 96% SHIELD, STANDARD PLUS, INDOOR w/POWER WIRE
- (B) P/N : CB-0109SPW+
RG 6/U CABLE BLACK, 96% SHIELD, STANDARD PLUS, OUTDOOR w/POWER WIRE
- (C) P/N : CB-0109SMW+
RG 6/U CABLE BLACK, 96% SHIELD, STANDARD PLUS, OUTDOOR w/ MESSENGER & POWER WIRE

RG11 CABLE, INDOOR



- (A) P/N : CB-0111
RG 11/U CABLE WHITE, 90% SHIELD, STANDARD, INDOOR
- (B) P/N : CB-0110
RG 11/U CABLE BLACK, 95% SHIELD, MILITARY GRADE, INDOOR

RG11 CABLE, OUTDOOR



- (A) P/N : CB-0111P
RG 11/U CABLE BLACK, 90% SHIELD, STANDARD, OUTDOOR
- (B) P/N : CB-0110P
RG 11/U CABLE BLACK, 95% SHIELD, MILITARY GRADE, OUTDOOR

RG11 CABLE, OUTDOOR w/MESSENGER



- (A) P/N : CB-0111M
RG 11/U CABLE BLACK, 90% SHIELD, STANDARD, OUTDOOR w/MESSENGER
- (B) P/N : CB-0110M
RG 11/U CABLE BLACK, 95% SHIELD, MILITARY GRADE, OUTDOOR w/MESSENGER

RG 59 & FLEXIBLE CABLE



- (A) P/N : CB-0105
RG 59 BU CABLE WHITE, 90% SHIELD, STANDARD, INDOOR
- (B) P/N : CB-0104
RG 59 BU CABLE BLACK, 95% SHIELD, MILITARY GRADE, INDOOR
- (C) P/N : CB-0105HF-1
MATV & CCTV FLEX CABLE WHITE, 90% SHIELD, FLEXIBLE GRADE, INDOOR
- (D) P/N : CB-0104F
MATV & CCTV FLEX CABLE BLACK, 95% SHIELD, MILITARY GRADE, INDOOR

BNC CONNECTOR



- (A) P/N : UC-0004 / 26 / 28
BNC PLUG RG 59, RG 6, RG11 CRIMP TYPE
- (B) P/N : UC-0044 / 46
BNC PLUG RG 59, RG 6 COMPRESSION TYPE

F-TYPE CONNECTOR



- (A) P/N : UC-0052 / 62 / 82
F-TYPE CONNECTOR 59, 6, 11, TWIST TYPE
- (B) P/N : UC-0054 / 64
F-TYPE CONNECTOR 59, 6, CRIMP TYPE
- (C) P/N : UC-0056 / 66
F-TYPE CONNECTOR 59, 6, COMPRESSION TYPE

PATCH PANEL



- (A) P/N : UC-1016 / 32
BNC PATCH PANEL 16, 32 PORT w/ BNC BULK HEAD
- (B) P/N : UC-1124
F-TYPE PATCH PANEL 24 PORT w/LABEL & MANAGEMENT

MULTI-MEDIA INSERT & ADAPTER



- (A) P/N : US-2204
BNC in RJ45 MODULAR INSERT
- (B) P/N : US-2209
F-TYPE in RJ45 MODULAR INSERT
- (C) P/N : UC-0010
BNC BULK HEAD SPLICE
- (D) P/N : UC-0092
F-TYPE SPLICE COUPLING

CRIMP TOOL



- (A) P/N : UC-8116
CRIMP TOOL BNC for RG 59, 6
- (B) P/N : UC-8118
CRIMP TOOL BNC for RG 59, F-TYPE RG 59, 6
- (C) P/N : UC-8121
CRIMP TOOL BNC RG 11

COMPRESSION TOOL



- (A) P/N : UC-8289
COMPRESSION TOOL BNC & F-TYPE for RG 59, 6, 11
- (B) P/N : TC-2315
COMPRESSION TOOL BNC & F-TYPE for RG 59, 6

STRIPPING TOOL & CUTTER TOOL



- (A) P/N : UC-8145
STRIPPING TOOL for F-TYPE TWIST & CRIMP
- (B) P/N : UC-8256
STRIPPING TOOL RG 59, 6 for BNC & F-TYPE COMPRESSION
- (C) P/N : UC-8288
STRIPPING TOOL RG 11 for BNC & F-TYPE COMPRESSION
- (D) P/N : TS-3105
CUTTER TOOL for RG 59, 6, 11

CCTV & TV PATCH CORD



- P/N : UC-711X, UC-712X, UC-713X,
UC-714X, UC-715X, UC-716X
BNC, F-TYPE, PAL/NTSC FLEX PATCH CORD



TELEPHONE CABLE



- (A) P/N : UL-1022 / 24
TIEV TELEPHONE 0.50 MM. 2, 4C CABLE
P/N : UL-1032 / 34
TIEV TELEPHONE 0.65 MM. 2, 4C CABLE
- (B) P/N : UL-0002
JUMPER WIRE, WHITE-RED 2C CABLE
- (C) P/N : UL-0054
TELEPHONE FLAT 26 AWG, 4 C

TELEPHONE CABLE



- (A) P/N : UL-1102, UL-1112
FIG. 8 UTP 0.50, 0.65 MM., 1 PAIR CABLE
- (B) P/N : UL-0023
TELEPHONE DROP WIRE 0.91 MM., 2 C

TELEPHONE CABLE



- P/N : UL-1201, 02, 05, 10, 25, 50, 310
TPEV TELE 0.50 MM. 1, 2, 5, 10, 25, 50, 100 PAIR
- P/N : UL-1401, 02, 05, 10, 25, 50, 510
TPEV TELE 0.65 MM. 1, 2, 5, 10, 25, 50, 100 PAIR

TELEPHONE CONNECTOR



- (A) P/N : UL-3011
RJ11 MODULAR PLUG
- (B) P/N : UL-3004
HAND SET, RJ 9 MODULAR PLUG
- (C) P/N : UL-3016
RJ 11 MODULAR JACK

CONNECTION MODULE



- P/N : UL-4311
TELEPHONE CONNECTION MODULE

DISCONNECTION MODULE




- P/N : UL-4321
TELEPHONE DISCONNECTION MODULE

LABEL



- (A) P/N : UL-4601
LABEL HOLDER (MOUNT ON FRAME)
- (B) P/N : UL-4631
HINGED LABEL HOLDER (MOUNT ON FRAME)

SURGE PROTECTION



- (A) P/N : UL-5411
TELEPHONE MAGAZINE 10 PAIR LOAD with 230 V - 5A/5KA ARRESTER
- (B) P/N : UL-5512
FIVE ELECTRODE PROTECTION
- (C) P/N : UL-5716
EARTH BAR 10 PAIR

PLASTIC INDOOR BOX



- (A) P/N : UL-7601/UL-7602/UL-7603
30, 50, 100 PAIR PLASTIC TC BOX, INDOOR
- (B) P/N : UL-7501/UL-7502/UL-7503
30, 50, 100 PAIR PLASTIC DISTRIBUTION INDOOR BOXES

PLASTIC OUTDOOR BOX



- (A) P/N : UL-7703, 7705, 7710
PLASTIC OUTDOOR TELEPHONE BOX 30, 50, 100 PAIR w/ BMF
- (B) P/N : UL-7713, 7719
PLASTIC FULLY WATERTIGHT BOX 30, 100 PAIR w/ BMF

CROSS-CONNECT CABINET




- P/N : UL-6103, 6203, 6206, 6210, 6212, 6216, 6412, 6416, 6812
CROSS-CONNECT CABINET SIZE 3, 6, 12, 20, 24, 32, 48, 64, 96

INDOOR STEEL CABINET



- P/N : UL-6XXX
WALL-BOX CABINET for 30 - 1650 POS.

FLOOR CABINET



- (A) P/N : UL-6552, 3, 4, 5, 6, 7, 8, 9, 10
FLOOR CABINET for 1,000 - 5,500 PAIRS
- (B) P/N : UL-8555
BACK MOUNT FRAME SET 55 POS
- (C) P/N : UL-8556
JUMPER WIRE BAR for 55 POS.

OUTDOOR STEEL CABINET



- P/N : UL-7061, 7111, 7112, 7113, 7222, 7272, 7223
OUTDOOR STEEL CABINET 50 - 660 PAIR, WALL MOUNT

BACK MOUNT FRAME



- P/N : UL-82XX/ UL-84XX
BACK MOUNT FRAME 1-55 Pos, STANLESS

INSERTION TOOL



- P/N : UL-8802
TELEPHONE INSERTION TOOL with SENSOR

LINK GLASS RACK



P/N : CH-XXXXXGS
LINK 19" GLASS RACK 15, 27, 42 U

LINK GLASS-WAVE RACK



P/N : CH-XXXXXGW
LINK 19" GLASS-WAVE RACK 15, 27, 42 U

LINK CURVE-WAVE RACK



P/N : CH-XXXXXCW
LINK 19" CURVE-WAVE RACK 15, 27, 42 U

LINK WALL RACK



(A) P/N : CW1-6XXXXG, CW2-6XXXXG
LINK 19" GLASS WALL RACK
(B) P/N : CW1-6XXXXW, CW2-6XXXXW
LINK 19" WAVE PERFORATE WALL RACK

LINK NETWORK RACK



(A) P/N : CN-61142, CN-61145
LINK 19" NETWORK RACK 42, 45U
(B) P/N : CN-61150
STEEL BASE (OPTION FOR NETWORK RACK)
(C) P/N : CN-61158, CN-61155
VERTICAL MANAGEMENT for 42 & 45 U

POWER DISTRIBUTION UNIT



P/N : CH-10306, 12, 20
PDU 6, 12, 20 UNIVERSAL OUTLET
(LIGHTING SW + PROTECTION LED)

COMPONENT SHELF



(A) P/N : CK-12250, 2350
FRONT MOUNT SHELF DEEP 25, 35 CM.
(B) P/N : CK-20350, 550, 650, 750
FIX SHELF DEEP 35, 55, 65, 75 CM.
(C) P/N : CK-40350, 550, 650, 750
SLIDE SHELF DEEP 35, 55, 65, 75 CM.

HEAVY DUTY FAN



P/N : CK-80104, 204, 304
LINK FAN SET HEAVY DUTY FAN 1X204",
2X204", 3X204"

GERMAN RACK



GERMAN RACK



P/N : G3-XXXXX
19" GERMAN RACK

GERMAN SERVER RACK



P/N : G4-XXXXX
19" GERMAN SERVER RACK

GERMAN DATA CENTER RACK



P/N : G5-XXXXX
19" GERMAN DATA CENTER RACK

GERMAN WALL RACK



(A) P/N : G1-XXXXX
19" GERMAN WALL RACK
(B) G2-XXXXX
19" GERMAN FRONT PERF. WALL RACK
(C) G2-XXXXXP
19" GERMAN PERFORATED WALL RACK

GERMAN OPEN RACK




P/N : G0-60027, 36, 42
19" GERMAN OPEN RACK 27, 36, 42 U

AC POWER DISTRIBUTION



P/N : G7-00004, 06, 08, 12, 20
AC POWER DISTRIBUTION 4, 6, 8, 12, 20
UNIVERSAL OUTLET w/ SURGE PROTECTION

COMPONENT SHELF



(A) P/N : G7-01025
FRONT PANEL FIX SHELF DEEP 25 CM.
(B) P/N : G7-02045,65, 75, 95
FIX COMPERNENT SHELF DEEP 48, 65, 75, 95 CM.
(C) P/N : G7-03045,65, 75, 95
SLIDE COMPERNENT SHELF DEEP 48, 65, 75, 95 CM.

HEAVY DUTY FAN



(A) P/N : G7-05001
HEAVY DUTY FAN 1X204"
(B) P/N : G7-05002
HEAVY DUTY FAN 2X204"
(C) P/N : G7-05003
HEAVY DUTY FAN 3X204"